


# Vascular dementia:

## Understanding your diagnosis





# About this booklet

**If you have recently been diagnosed with vascular dementia, this booklet is for you. It will help you, and your family and friends, to understand more about the condition and how it can affect you.**

It covers feelings you might have, suggests ways of staying positive, and explains the treatments, support and services that are available. You are not alone – around 850,000 people in the UK have dementia. About 150,000 of these people have vascular dementia. It is possible to live well with the condition. Support is available for you and your family.

This booklet also tells you about other Alzheimer's Society publications that can give you more information on particular topics.



**These can be accessed at**  
**[alzheimers.org.uk/publications](https://alzheimers.org.uk/publications)**



**You can also call 0300 303 5933**  
**to order publications.**



# Contents

<b>1</b>	<b>Coping with your diagnosis</b>	<b>5</b>
<b>2</b>	<b>What causes dementia?</b>	<b>11</b>
<b>3</b>	<b>How does vascular dementia affect people?</b>	<b>15</b>
<b>4</b>	<b>Treatments</b>	<b>21</b>
<b>5</b>	<b>Living well</b>	<b>25</b>
<b>6</b>	<b>Planning ahead</b>	<b>29</b>
<b>7</b>	<b>Services and support</b>	<b>35</b>
	Alzheimer's Society services	<b>43</b>
	Other useful organisations	<b>47</b>



# 1

## Coping with your diagnosis

It can be difficult to come to terms with a diagnosis of dementia, but there is support available and things you can do to help make it easier.

1

When you find out you have vascular dementia, you may feel a range of emotions. Give yourself time to think things through.

Remember that there is no 'right' or 'wrong' way to feel. However you feel, it is right for you, at this moment. And don't worry if it all seems to be overwhelming at first. There are good and bad times, and with support many people come to terms with their diagnosis.

It may help to talk things over with friends and family, or with a health or social care professional who understands dementia.

Things you should try to think about after a diagnosis include:

- emotions and relationships
- treatments and ways to stay active and healthy
- financial matters and planning ahead
- your job – if you're still working
- driving – if you drive
- practical and emotional support – from the NHS, social services, private companies or voluntary organisations.

You won't need to think about all these things straightaway, so take things at your own pace.

## Managing your feelings

You may have a number of different feelings after a diagnosis. This is normal and there are ways to cope with them.

- Many people feel a sense of sadness or loss after their diagnosis. You may feel that you will no longer be able to do the things that you enjoy or that you had planned. It is true that having dementia may mean you need to make changes. But with the right information and support you can carry on with regular aspects of your life for some time.
- Shock, disbelief and denial are all common reactions to a diagnosis of dementia. Sometimes this can be a good thing. It can give you the time you need to deal with your diagnosis.
- Fear is another very common reaction. You may be afraid of the future, of losing control or of becoming a burden to your family. Talking about this with others can help. It is important not to feel that you are on your own.
- Some people worry that they did something wrong to get dementia, or did not do enough to prevent it. In many cases it is not known why dementia develops. Don't dwell on this. Instead, try to keep going with a positive outlook.
- A few people feel relief after a diagnosis. This may sound strange, but it can be better to have an explanation for the changes you have been experiencing, rather than worry about what else it could be. Once you have a diagnosis, you can deal with it and do something about it.

1



1

After a diagnosis, you may want to talk things over with other people. You might only want to do this with your partner, or with close family and friends. You may not want to talk about it at all.

Talking to others with a similar experience can help as well. You could try:

- finding a support group where you can talk to others with a similar experience (see 'Services and support' on page 35)
- joining an online community (for example Alzheimer's Society's Talking Point)
- talking with a dementia support worker or dementia adviser
- seeing a qualified counsellor or psychotherapist.



**People who support you may wish to look at factsheet 402, What is vascular dementia?**

## Changes to relationships

Dementia can change your relationships with people. You and the people close to you will have to adapt to new challenges. It's important to be aware of this, talk about it as openly as you can, and look for solutions together.

Those close to you will need to offer you more support in daily life. In time they may become your 'carer'.

### Telling children

If you have young children or grandchildren, it is a good idea to tell them about your dementia. Do this in a way that feels right for their age and ability to understand things. You might be surprised at how adaptable they are.



**For more information on how dementia can affect your relationships with others see booklet 1507, Your relationships.**

**'I have been diagnosed with vascular dementia 6 years ago and although I have had to make many adjustments to my life, I am living life the best I can... I have just joined a creative writing group and I am loving it.'**

Person living with dementia

1





# 2

## What causes dementia?

Dementia is not a natural part of ageing. It is the name for a group of symptoms that occur when the brain is affected by a disease.

Dementia is the name for a group of symptoms that may include memory loss and difficulties with thinking, planning, problem-solving, perception or language. They are severe enough to interfere with daily life. People may also experience changes in mood or behaviour.

There are many causes of dementia. The most common are Alzheimer's disease and vascular dementia. Some people have a combination of these, known as mixed dementia.

2

## What is vascular dementia?

Vascular dementia happens when too little blood gets to the brain because blood vessels have become damaged by disease. Without enough blood, brain cells can't get enough oxygen and eventually die.

There are several different types of vascular dementia. The most common type is **stroke-related dementia**. This happens when the blood supply to a part of the brain is suddenly cut off. It is usually the result of a clot. There are two types of stroke-related dementia – post-stroke dementia and multi-infarct dementia.

Post-stroke dementia is when a major stroke suddenly damages a large part of the brain. Multi-infarct dementia is when a series of smaller strokes causes small areas of damage to spread all around the brain.

The other main type of vascular dementia is **subcortical vascular dementia**. You might hear this called small vessel disease. It happens when the very small blood vessels that lie deep in the brain become stiff and twisted. Blood flow through the small vessels is reduced and the brain is gradually damaged.



For more information see factsheet 402,  
What is vascular dementia?

2

**'The most frightening time for the person with the disease and for the people who love them seems to be the start of the disease, when everything is new and no one knows how they'll cope. Later on, we find out from experience that ordinary life does go on, there are still joys to be had as well as new challenges to be managed.'**

Relative of person with dementia





# 3

## How does vascular dementia affect people?

Vascular dementia affects everyone differently. However, some common symptoms are described in this section. You might recognise some of your own experiences here.

## Early changes

The earliest symptoms of vascular dementia may start suddenly, after a major stroke, or more gradually with subcortical vascular dementia.

Your early symptoms may include:

- problems with planning or organising, making decisions or solving problems
- difficulties following a series of steps – for example, when cooking a meal
- taking longer to process thoughts
- problems concentrating, including short periods of sudden confusion.

Other early symptoms of vascular dementia can include difficulties with:

- memory – such as problems recalling recent events (often mild)
- language – for example speech may become less fluent
- judging distances (such as when using stairs) and seeing objects in three dimensions (such as when picking things up).

You may feel anxious, or become withdrawn or depressed. You may also become more emotional and find that your mood changes quickly. Treatments for these symptoms are covered later in this booklet.

If you have dementia because of a stroke, you may experience problems with a weak limb, vision or speech. With rehabilitation, these symptoms may get a little better or stabilise.

If you have subcortical vascular dementia, you may also have problems with bladder control or you may become less steady walking.

**‘It’s important to remember that no two cases of dementia are the same, and just because someone who has been diagnosed is experiencing a certain set of symptoms doesn’t necessarily mean you will go on to develop those same symptoms.’**

Carer of person with dementia





## Later stages

Vascular dementia is generally progressive. This means that your symptoms are likely to become worse over several years and you will need increasing amounts of help. This usually happens in stages for stroke-related dementia and more gradually for subcortical vascular dementia.

Everyone is different, but as the condition progresses symptoms can include:

- becoming more confused about the time and place, and having greater problems with reasoning
- having more severe problems with communication and speech
- memory problems becoming worse – forgetting events, names and faces
- delusions (thinking things that are not true) and visual hallucinations (seeing things that are not there)
- changes in behaviour – for example, asking the same questions over again or getting agitated
- walking more slowly and less steadily, losing weight and having difficulties with swallowing or eating.

In the later stages of vascular dementia, someone will generally need full-time care and support. This may be distressing to think about, but it can help to be prepared.





# 4

## Treatments

Although there is no cure for vascular dementia, it is possible to live well with the condition, with the right support. You and people close to you will need to try and be flexible as your symptoms may vary from day to day.

You will probably be offered drugs to control the underlying disease, as explained below. Non-drug approaches are also important. Ask your GP, memory service or local Alzheimer's Society (if you have one) for details of what non-drug treatments and activities are available in your local area.

## Control of cardiovascular disease

With the right treatments, the cardiovascular diseases (heart and circulation conditions) that have caused vascular dementia can be controlled. This might slow down the progression of the condition. For stroke-related dementia, it might mean there are long periods when your symptoms do not get any worse.

You may already be taking medicine for high blood pressure, to prevent clots, to lower cholesterol or to treat a heart condition or diabetes. It's important that you take these as your doctor says, and have regular check-ups, even if you feel fine.

You should also follow your doctor's advice about exercise, healthy diet and weight, not smoking and not drinking too much alcohol.

The drugs which are given to treat Alzheimer's disease don't work for vascular dementia. You will not usually be offered them, unless you have both vascular dementia and Alzheimer's disease – a condition known as mixed dementia.

## Other treatments

You will benefit from staying active, doing things you enjoy and keeping in touch with people. If you have had a stroke or have physical difficulties, treatment will also include rehabilitation – for example, with a physiotherapist.

Some other ideas for non-drug treatments and activities are given below.

- **Talking therapies**, such as counselling, might help you to come to terms with your diagnosis. Another talking treatment, **cognitive behavioural therapy**, may help with depression or anxiety. Your doctor may suggest you have cognitive behavioural therapy and take medication at the same time.
- **Cognitive stimulation therapy** is done in small groups and involves a number of sessions that are usually weekly. These may involve activities such as games, songs and talking about current affairs. People find this helps memory and communication.
- **Life story work** is an activity for you and a friend or family member, or professional providing care or support. You make a record of experiences, people and/or places in your life. This may be an enjoyable way of helping with memory problems. It can also help people who support you to understand you better.
- **Reminiscence** involves talking about a theme from your past schooldays, holidays or simply daily life. Reminiscence often includes prompts such as photos and objects from that time. It could help your mood as well as your memory.
- **Cognitive rehabilitation** is a type of therapy that allows you to set your own practical goals (such as handling money or learning to use a mobile phone. You then work with a therapist (for example, a psychologist or occupational therapist) to achieve these.





# 5

## Living well

Living with dementia is challenging. You may feel angry or frustrated at times. Your plans for the future might change, but dementia doesn't change who you are. There are some practical things that can help you live as well as possible.

## Keeping active

Keeping as active as possible – physically, mentally and socially – will help you to stay as healthy and independent as possible.

As long as you feel safe, you can still do the things that you've always done. Try to keep up with your hobbies. You may need to change the way you do things, or have some support.



**For more information see booklet 1506, Keeping active and involved.**

## Coping with memory loss

There are lots of things you might try to help with memory loss:

- Use a large diary to write down things you want to remember.
- Place useful telephone numbers by the phone.
- Put a note on the door to remind yourself to lock up at night.
- Ask your pharmacist about putting your pills in a dosette box.
- Consider whether any gadgets or pieces of technology might work for you.

## Staying healthy

Having vascular dementia doesn't mean you should feel ill. See the doctor if you're feeling unwell, or if someone that you trust suggests you should. If you have other medical conditions (such as high blood pressure, diabetes or heart problems), it is particularly important to have regular check-ups for these.

You might find the following tips useful:

- Try to eat balanced meals and drink plenty of fluids.
- Take regular physical exercise.
- If you smoke, consider stopping.
- Take your medications and tell your doctor about any side effects.
- If you find yourself regularly feeling low, anxious or irritable, see your GP.
- Keep up to date with your vaccinations.
- If you are in pain, it is important to tell your doctor or carer.
- Have regular check-ups for your eyesight, hearing, teeth and foot care.





# 6

## Planning ahead

As vascular dementia progresses, it will become harder for you to make decisions about your health, care and finances. If you're able to, try to think about your future, talk to others and plan ahead as soon as you can.

## Advance care planning

You can make decisions now so that your future care and finances are handled in a way that reflects your wishes – this is called ‘advance care planning’. It can help you to worry less, knowing that you have some control over future events.

Advance care planning can be done in a number of ways:

- Lasting power of attorney
- an advance statement – where you write down how you would like to be cared for
- an advance decision to refuse treatment – where you create a legal document to refuse certain medical treatments (for example, resuscitation) in the future
- a ‘do not resuscitate’ order – a decision not to have your heart or breathing restarted if they stop.

Discussions about care at the end of life can be difficult for you and your family. You shouldn’t feel under any pressure to have them. But if you’re thinking about advance care planning, it is important to do it while you can.



**For more information see factsheet 463, Advance decisions and advance statements. In Northern Ireland see factsheet NI467, Financial and legal tips.**

## Lasting power of attorney

Many people with dementia choose to give someone they trust ‘power of attorney’. This person – the ‘attorney’ – will make certain decisions for you if you lose the ability to do this.

The legal document used to give someone this power is called a ‘Lasting power of attorney’ (LPA). There are two types:

- LPA for health and welfare – for things like medical treatment or where you will live.
- LPA for property and affairs – for things like accessing bank accounts, paying bills or selling your house.



**For more information see factsheet 472, Lasting power of attorney.**

If you live in Northern Ireland you will need to make an ‘Enduring power of attorney’ (EPA). Talk to a solicitor or Citizens Advice.



**For more information see factsheet NI472, Enduring power of attorney and controllership.**

**‘Sort out the legal aspects like Power of attorney and your will. Having done this, get up, get out and get on with your life.’**

Person living with dementia



## Financial matters

It's important to have a safe place to keep all your essential documents – for example, bank and pension details and your will. Tell someone you trust where this place is.

Talk to your bank about what they can do to help you manage your money.

## Benefits

You and your carer may be entitled to a range of benefits. Accessing them can seem complicated but help is available. Ask a social worker, a local welfare rights service, Citizens Advice or Age UK about a full benefits check.

## Wills

Everyone should make a will. Talk to a solicitor about this. Alzheimer's Society can put you in touch with an approved solicitor through our Will to Remember scheme. See [alzheimers.org.uk/willtoremember](https://alzheimers.org.uk/willtoremember) for details.

## Driving

When you're diagnosed with dementia it doesn't necessarily mean you have to stop driving straightaway. But by law you must tell the Driver and Vehicle Licensing Agency (DVLA) in Great Britain or Driver and Vehicle Agency (DVA) in Northern Ireland promptly that you have dementia. You must also tell your car insurance company.

## Working

If you're working, you might want to carry on, or you may feel that reducing your hours or stopping work is the best option for you. You might consider volunteering. This would be a way of still taking part in meaningful activity but on a more flexible basis.

If you're experiencing difficulties at work, talk to your employer or get advice. Try your human resources department, trade union, Citizens Advice or your local Jobcentre Plus office.

Once your employer knows you have dementia, they must try to make 'reasonable adjustments' so you can keep working, if you're able to. The government can provide financial support to help you stay in work through their Access to Work grants. If you decide to stop working or retire early, seek advice from an independent financial adviser about your pension rights.

**'As you get your financial circumstances sorted, with help, you will feel better. No it won't take the symptoms away but it will relieve some of your stress. If you can try and put things in place that may help you remember some of the important things that you need or want to do.'**

Person living with dementia





# 7

## Services and support

Asking for help can feel difficult, especially if you've always been independent. You might not feel you need it straightaway, but it can be useful to know that a wide range of information and support is available for you and the people who are important to you.

There is lots of support available following a diagnosis of dementia. This includes help from:

- **The NHS** – your GP, psychiatrist, neurologist, community nurse, dietitian, occupational therapist or psychologist can help you with a number of health problems.
- **Social services** – a social worker from the local council can work with you to see what care and support is needed. Ask your GP, or look up ‘social services’ in the phone book or online and ask for a needs assessment (also called a ‘community care assessment’ in Wales and Northern Ireland).
- **Charities and not-for-profit organisations** – these can be a good source of local support, advice and information. National organisations include Alzheimer’s Society, Dementia UK and Age UK. Ask about age-appropriate services if you would prefer to spend time with people closer to your own age.
- **Private companies** – these include agencies that can provide care and support services at home and which you may have to pay for. Professional care workers could help you with cooking, dressing, medication or going to work. Ask your local social services or contact the UK Homecare Association to see what is available in your area.

## Health and social care professionals

As you come to need more care, many different professionals are likely to be involved. These include doctors, other health professionals, and social care professionals.

### Doctors

Your GP can support you in many different ways, including talking to you about your symptoms and medical problems (not just dementia). They can carry out physical examinations, arrange further tests with a consultant or hospital specialist, and review whether your drugs are working.

You may also interact with a number of consultants. These might include a psychiatrist, who can help with dementia and other mental health problems like depression and anxiety, and a neurologist, who specialises in the brain and nervous system.

### Other health professionals

Nurses are also likely to care for you, and the people who support you, in a number of ways. These might include community nurses (including community mental health nurses known as CPNs) who can provide support at home, and Admiral Nurses who specialise in dementia care, especially supporting carers.

### Social care professionals

Social workers and social care workers can help you in non-medical ways. Social workers assess your needs and advise on the best support for you. Social care workers help with practical things like washing, dressing and eating.



**For more information see booklet 1503, Health and social care professionals.**



You can get support from other health professionals to help with many different issues:

Issues	Who can help?
Communication, eating, drinking and swallowing	<b>Speech and language therapist</b>
Maintaining skills and independence	<b>Occupational therapist</b>
Exercising and moving around	<b>Physiotherapist</b>
Caring for your feet	<b>Chiropodist</b>
Eyesight	<b>Optometrist</b>
Hearing	<b>Audiologist</b>
Behaviours, anxiety and restlessness	<b>Music therapist, clinical psychologist</b>
Relationship and emotional issues	<b>Counsellor or clinical psychologist</b>
Nutrition	<b>Dietitian</b>
Toilet problems	<b>Continence adviser</b>

## Support from other people living with dementia

Support from other people living with dementia, especially those who also have vascular dementia, may be important to you. You may be younger than many people with more common types of dementia. You may feel no one else understands your condition.

There are different groups and activities for people living with dementia, though they may not all be available in the area where you live. Different groups and activities include:

- **Support groups** – for people with dementia to talk about their experiences and learn from each other.
- **Activity groups** – for people with dementia to come together regularly and take part in different activities, such as singing (see Alzheimer's Society services on page 43).
- **Dementia cafés** – a safe, comfortable and supportive environment for people with dementia and their carers to socialise.
- **Talking Point** – an online community for people living with dementia and for carers.  
Visit [alzheimers.org.uk/talkingpoint](https://alzheimers.org.uk/talkingpoint)



To find services in your area, visit [alzheimers.org.uk/dementiaconnect](https://alzheimers.org.uk/dementiaconnect)



For advice and support call the National Dementia Helpline on **0300 222 1122**

## Paying for social care and support

Many people with dementia will reach a stage when they need professional care and support at home to help them live well with the condition. Friends and family who care for a person with dementia may also need support to carry out this role.

Some people with dementia and their carers will be entitled (often called 'eligible') to support with all or some of the costs of this care. They must meet certain criteria to be eligible.

### England

In England, a local authority has a duty to carry out a 'care needs assessment' for anyone with dementia. The assessment is to determine what care needs you have and whether the local authority will contribute towards meeting them.

### Wales

In Wales, a local authority has a duty to carry out a 'community care assessment' for anyone with dementia who may require community care. They also have a duty to provide services directly or – more often – make arrangements to meet any needs for which someone is eligible.

### Northern Ireland

In Northern Ireland, the local health and social care (HSC) trusts have a duty to carry out a 'community care assessment' for anyone with dementia who may be in need of support.

Carer's assessments are also available so that the person who is caring for you can receive support to help them with their caring role.



**For more information, see factsheets 418, Assessment for care and support in England, W418, Assessment for care and support in Wales, or NI418, Community care assessment, for those in Northern Ireland.**

## Support in the later stages of dementia

Most people with dementia are likely to reach a stage where they need more support. It can be useful to plan ahead for this.

Many people go into a care home or supported living as their dementia progresses. A professional such as a doctor or social worker, your local Alzheimer's Society or another voluntary sector organisation may be able to give advice on housing options, including choosing a care home. At this point, it is likely that someone caring for or supporting you will need to arrange this. It may be helpful to plan ahead for this as early as possible.

You can search for local services at [alzheimers.org.uk/dementiaconnect](https://alzheimers.org.uk/dementiaconnect)



# Alzheimer's Society services

**Alzheimer's Society provides a range of services and resources to support people affected by dementia.**

## National information and support services

These are available wherever you live in England, Wales and Northern Ireland.

### National Dementia Helpline – 0300 222 1122

The Helpline is for anyone who is affected by dementia or worried about their memory. Trained advisers provide information, support, guidance and signposting to other appropriate organisations. The Helpline is open 9am–8pm Monday–Wednesday, 9am–5pm Thursday and Friday, and 10am–4pm Saturday and Sunday. You can also contact the Helpline by email at [helpline@alzheimers.org.uk](mailto:helpline@alzheimers.org.uk)

### Talking Point online community

Talking Point is an online community for anyone affected by dementia. It's a place to ask for advice, share information, join in discussions and feel supported. Talking Point is available 24 hours a day, every day of the year. Visit [alzheimers.org.uk/talkingpoint](https://alzheimers.org.uk/talkingpoint)

### Dementia Connect Online Directory

The Dementia Connect Online Directory is our comprehensive, easy to use online support services directory for anyone affected by dementia in England, Wales and Northern Ireland. Through a simple postcode or place name search, you can find services that are close and relevant to you. Visit [alzheimers.org.uk/dementiaconnect](https://alzheimers.org.uk/dementiaconnect)

## Information

Alzheimer's Society produces a wide range of information for people with dementia, carers, family and friends.

This includes the factsheets and booklets listed in this guide. You can read this information at [alzheimers.org.uk/publications](https://alzheimers.org.uk/publications)

To request printed copies, go to the order form on our website or phone **0300 303 5933**.

You can also view Alzheimer's Society videos for more information, as well as stories from people affected by dementia. Visit [www.youtube.com/alzheimerssociety](https://www.youtube.com/alzheimerssociety)

## LPA digital assistance service

Alzheimer's Society offers a Lasting power of attorney digital assistance service to help people with dementia create and register LPAs online. If you don't have access to the internet, or are not confident using a computer and have no one who can help, we will complete the forms on your behalf. Call the Alzheimer's Society **National Dementia Helpline** on **0300 222 1122**.

## Local services

Alzheimer's Society provides a range of local services in England, Wales and Northern Ireland. These include dementia advisers and dementia support workers, and Side by Side volunteers who support people with dementia to keep doing the things they enjoy.

The services that are available can vary from place to place. Contact your local Alzheimer's Society office or the National Dementia Helpline for more information about Society services in your area or visit [alzheimers.org.uk/dementiaconnect](https://alzheimers.org.uk/dementiaconnect)



# Other useful organisations

## Age UK

0800 055 61122 (advice line, 8am–7pm)  
0800 169 8787 (general enquiries)  
[www.ageuk.org.uk](http://www.ageuk.org.uk)

## Age Cymru (in Wales)

08000 223 444 (advice line, 9am–5pm Monday–Friday)  
029 2043 1555 (general enquiries)  
[www.ageuk.org.uk/cymru](http://www.ageuk.org.uk/cymru)

## Age NI (in Northern Ireland)

0808 808 7575 (advice and information)  
028 9024 5729 (general enquiries)  
[www.ageuk.org.uk/northern-ireland](http://www.ageuk.org.uk/northern-ireland)

Provides information and advice for older people.

## Citizens Advice

Various locations  
[www.citizensadvice.org.uk](http://www.citizensadvice.org.uk)

Citizens Advice provides free, independent, confidential and impartial advice to everyone on their rights and responsibilities.

## Diabetes UK

0345 123 2399 (helpline, 9am–7pm Monday–Friday)  
[helpline@diabetes.org.uk](mailto:helpline@diabetes.org.uk)  
[www.diabetes.org.uk](http://www.diabetes.org.uk)

The UK's leading diabetes charity. They care for, connect with and campaign on behalf of all people affected by and at risk of diabetes in local communities across the UK.

## Dementia Engagement and Empowerment Project (DEEP)

[www.dementiavoices.org.uk](http://www.dementiavoices.org.uk)

Brings together groups of people with dementia from across the UK and supports them to try to change services and policies that affect the lives of people with dementia.

## GOV.UK

[www.gov.uk](http://www.gov.uk)

The website for finding information and services from the UK government, including information about benefits.

## NHS Choices

[www.nhs.uk](http://www.nhs.uk)

The UK's biggest health website. Provides a comprehensive health information service that aims to put people in control of their healthcare.



**Office of the Public Guardian**

0300 456 0300

[www.publicguardian.gov.uk](http://www.publicguardian.gov.uk)

The OPG supports and promotes decision-making for those who lack capacity or would like to plan for their future within the framework of the Mental Capacity Act 2005.

**Stroke Association**

0303 3033 100

(Stroke Helpline, 9am–5pm Monday–Wednesday  
and Friday, 9am–3.30pm Thursday)

[info@stroke.org.uk](mailto:info@stroke.org.uk)

[www.stroke.org.uk](http://www.stroke.org.uk)

The leading charity in the UK changing the world for people affected by stroke.

This booklet has been reviewed by people affected by dementia.

It can be downloaded from our website at

[\*\*alzheimers.org.uk/publications\*\*](http://alzheimers.org.uk/publications)

To give feedback on this booklet, or for a list of sources, please contact [\*\*publications@alzheimers.org.uk\*\*](mailto:publications@alzheimers.org.uk)



This publication contains information and general advice. It should not be used as a substitute for personalised advice from a qualified professional. Alzheimer's Society does not accept any liability arising from its use. We strive to ensure that the content is accurate and up to date, but information can change over time. Please refer to our website for the latest version and for full terms and conditions.

© Alzheimer's Society, 2018. All rights reserved. Except for personal use, no part of this work may be distributed, reproduced, downloaded, transmitted or stored in any form without the written permission of Alzheimer's Society. Alzheimer's Society maintains editorial independence over the content of this publication.

First published: January 2016  
Next review due: January 2019

Registered charity no. 296645. A company limited by guarantee and registered in England no. 2115499. Alzheimer's Society operates in England, Wales and Northern Ireland.



**Alzheimer's Society is the UK's leading dementia charity. We provide information and support, improve care, fund research, and create lasting change for people affected by dementia.**

If you have any concerns about Alzheimer's disease or any other form of dementia, visit **[alzheimers.org.uk](https://alzheimers.org.uk)** or call the **Alzheimer's Society National Dementia Helpline** on **0300 222 1122**. (Interpreters are available in any language. Calls may be recorded or monitored for training and evaluation purposes.)

**Alzheimer's Society**

43–44 Crutched Friars  
London EC3N 2AE

0330 333 0804  
[info@alzheimers.org.uk](mailto:info@alzheimers.org.uk)  
[alzheimers.org.uk](https://alzheimers.org.uk)

Code 614

